中国船用锁供应商 中国船用五金供应商



上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.

地址：上海市崇明区堡镇永和村堡东760号
电话：021-56862822
联系人：魏家彪　　手机：13311801539
联系人：杨　荣　　手机：13391112299
E-mail:shkangbo@163.com
Http://www.shkbwj.com



高级不锈钢船用防火门锁
高级不锈钢船用五金

ADVANCED STAINLESS STEEL SHIP FIREPROOF DOOR LOCKS
ADVANCED STAINLESS STEEL MARINE HARDWARE

上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.

企业简介》

Company Profile



上海康博五金制品有限公司主营生产销售船用门锁和船用五金，已取得了中国船级社CCS证书，ISO9001质量体系认证证书,本公司具有多年生产加工船用门锁的经验，船用锁船用五金设计合理，技术质量精湛。

本公司具有专门的设计人员和开发部门,可根据客户需要定制非标船用锁,想客户所想,急客户所急!


Shanghai Kangbo Hardware Ltd. is mainly engaged in the production and sales of marine locks and other hardware. It has both CCS certificate of China Classification Society and the ISO9001 quality system certificate. The company has many years of experience in manufacturing marine locks. The design of the locks and other hardware is reasonable and quality the products quality is superb.

Our company has R& D department and dedicated designers, which enable us to make non-standard marine locks according to customer varies specifications. Our slogan is: think of what customers want, and meet their urgent needs!

品质第一，顾客至上!

资质证书》

Qualification certificate













牙花组合排列



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.

牙花组合排列



I 型



II 型



III 型



IV 型



V 型



VI 型



VII 型



VIII 型



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C1

适用于内装舱室门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制

C1

Suitable for interior cabinet door application
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.






C1-A

适用于内装舱室门，弹药库和保密室专用
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C1-A

Suitable for interior cabinet door application,
ammunition depot and confidentiality room.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C1-B

适用于内装舱室门，微开门可通风
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C1-B

Suitable for interior cabinet door application,
slightly–open door and ventilation is available.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C1-H

板簧锁，适用于内装舱室门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C1-H

Leaf spring lock, Suitable for interior cabinet door application
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C1-D

适用于内装舱室门，连体复板
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C1-D

Suitable for interior cabinet door application,
2 in one backplate design.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C1-F


适用于内装舱室门，C5改装带锁，小连体复板
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制

C1-F

Suitable for interior cabinet door application,
modified based on C5 lock with deadlatch;
compact 2 in one backplate design.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.







KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C-1-ZN

智能门锁，刷卡开锁
适用于内装舱室门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制

C-1-ZN

Intelligent lock, swipe card for unlocking
Suitable for interior cabinet door application.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.






C-1-ZN-1

智能门锁　密码，刷卡开锁
适用于内装隔断门
总钥匙系统
材质 :SUS 304　SUS 316
适用门厚：38–42mm 其他门厚可定制



C-1-ZN-1

Smart door lock, using pin code or card to unlock
Suitable for interior elevator door application
Master key system
Material: SUS304, SUS316
Suitable for door panel thickness: 38–42mm,
other sizes can be custom–made



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C1-NA

内凹把手式锁
适用于内装隔断门
总钥匙系统
材质：SS304, SS316
适用门厚：≥55mm，其它门厚可定制



C1-NA

Internal dented grip design lock
Suitable for interior partition door
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: ≥55mm;
other thickness can be custom made.




C2

适用于外装钢质门和水密门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C2

Suitable for exterior steel door and watertight door
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C2-A

适用于外装钢质门和水密门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C2-A

Suitable for exterior steel door and watertight door
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C2-B

适用于外装钢质门和水密门
总钥匙系统
材质：SS304, SS316
适用门厚：38-42mm，其它门厚可定制



C2-B

Suitable for exterior steel door and watertight door
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C2-Y

叶片外装锁
适用于外装钢质门和水密门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C2-Y

Tumbler lock for exterior lock
Suitable for exterior steel door and watertight door
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C3

移门钩子锁
适用于移门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制

C3

Movable hook lock
Suitable for movable door application.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.





KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C3-A

双锁头移门钩子锁
适用于保密室和特殊移门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制

C3-A

Movable hook lock with double cylinder
Suitable for confidentiality room
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.






C3-B

移门静音锁
总钥匙系统
适用于内装移门隔断门
材质 :SUS 304　SUS 316
适用门厚：38–42mm 其他门厚可定制



C3-B

Sliding door silent lock
Master Key System
Suitable for interior sliding door application
Material: SUS304, SUS316
Suitable for door panel thickness:＞55mm,
other sizes can be custom–made



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C3-NA

内凹把手式移门锁
适用于内装移门隔断门
材质 :SUS 304　SUS 316
适用门厚：＞55mm 其他门厚可定制



C3-NA

Internally–dented–handle–type sliding door lock
Suitable for interior sliding door application
Material: SUS304, SUS316
Suitable for door panel thickness:＞55mm,
other sizes can be custom–made




C4

适用于内装卫生单元门
材质：SS304, SS316
适用门厚：38-42mm，其它门厚可定制



C4

Suitable for interior bathroom door application
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.




C4-A

双锁头移门钩子锁
适用于双卫浴门
材质：SS304, SS316
适用门厚：38-42mm，其它门厚可定制



C4-A

Movable hook lock with double cylinder
Suitable for double bathroom shower doors
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.




C4-B


适用于内装卫生单元门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C4-B

Suitable for interior bathroom door application
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.





KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C5

适用于内装通道门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C5

Suitable for interior access door
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C5-A

适用于橱门锁门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C5-A

Suitable for cabinet door locking
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C5-B

适用于内装通道门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C5-B

Suitable for interior access door
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C5-NA


适用于内装电梯隔离门
材质：SS304, SS316
适用门厚：≥55mm，其它门厚可定制



C5-NA

Suitable for interior segregated door for lift application
Material: SUS304, SUS316;
Suitable for door panel thickness: ≥55mm;
other thickness can be custom made.





KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C5-G


日本老锁
适用于日本早期船修配用
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C5-G

Japanese old style lock
Suitable for repair of early stage Japanese made ships
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.






C6 (压杆锁)

压杆式逃生门锁
适用于内装逃生门
总钥匙系统



C6 (压杆锁)

Corss-bar emergency door lock
Suitable for interior emergency door
Master Key System



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


C7(CTD-AB)

带上下天地天地销锁
适用于防盗带天地销门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C7(CTD-AB)

Lock with shootbolt for both upper and lower end
Suitable for anti-theft application
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




C7(CTD-A-TX)

带上下天地销锁
适用于防盗带天地销门，集装箱门
材质 :SUS 304　SUS 316
适用门厚：≥50mm 其他门厚可定制

C7(CTD-A-TX)

With shootbolt lock feature
Suitable for door with anti-theft shootbolt feature and container door
Material: SUS304, SUS316
Suitable for door panel thickness: ≥50mmmm, other sizes can be custom-made






C7-YS

自锁式带上下天地天地销锁
把手向下压45度，斜舌和天地销缩进勾住不弹出，
便于开关门，门关上时，把保险扭压进
斜舌和天地销同时弹出锁门
适用于防盗带天地销门
总钥匙系统
材质：SS304, SS316
适用门厚：38-42mm，其它门厚可定制

C7-YS

Self-lock with shootbolt for both upper and lower end
Turn grip 45 degree, latchbolt and shootbolt are retracted, so that open and close door is easy;
when door closed fully, the lock mechanism locked the door automatically.
Latchbolt and shootbolt are extracted in the same time.
Suitable for anti-theft application
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.






C7(C-7G-A)

带上下天地天地销锁
适用于防盗带天地销门
总钥匙系统
材质：SS304, SS316 Material:
适用门厚：38-42mm，其它门厚可定制



C7(C-7G-A)

Lock with shootbolt for both upper and lower end
Suitable for anti-theft application
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.




C8-M(C-1M)

机械密码锁，设定密码按顺序开锁
适用于内装舱室门
总钥匙系统
材质：SS304, SS316
适用门厚：38-42mm，其它门厚可定制



C8-M(C-1M)

Mechanical digital lock, unlock based on pin code and press in sequence order.
Suitable for both interior and exterior cabinet door application.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.




C8-M(C-5M)

机械密码锁，设定密码按顺序开锁
适用于内装舱室门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



C8-M(C-5M)

Mechanical digital lock, unlock based on pin code and press in sequence order.
Suitable for both interior access door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.



KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


T210

欧标锁 CE认证
适用于内装舱室门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



T210

EURO LOCK CE certified
Suitable for interior cabinet door application.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




T214

欧标锁 CE认证
适用于内装舱室卫生间门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



T214

EURO LOCK CE certified
Suitable for interior cabinet toilet door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




T215

欧标锁 CE认证
适用于内装舱室通道门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制




T215

EURO LOCK CE certified
Suitable for interior cabinet corridor door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.




5100

日韩系列锁
适用于内装舱室门
总钥匙系统
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制




5100

Japanese and Korean series lock
Suitable for interior cabinet door application.
Master Key System
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




5104

日韩系列锁
适用于内装舱室卫生间门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



5104

Japanese and Korean series lock
Suitable for interior cabinet toilet door application
Material: SUS304, SUS316;
Suitable for door panel thickness: 38-42mm;
other thickness can be custom made.




5105


日韩系列锁
适用于内装舱室通道门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



5105

Japanese and Korean series lock
Suitable for interior cabinet corridor door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.






5600

日韩系列锁叶片锁
适用于内装特制舱室门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



5600

Japanese and Korean series tumbler lock
Suitable for special made interior cabinet door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




2410

日韩系列锁叶片锁
适用于内装特制舱室门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制



2410

Japanese and Korean series lever lock
Suitable for special made interior cabinet door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




2910

日韩系列锁叶片锁
适用于内装特制舱室门
材质：SS304, SS316
适用门厚：38–42mm，其它门厚可定制




2910

Japanese and Korean series lever lock
Suitable for special made interior cabinet door application.
Material: SUS304, SUS316;
Suitable for door panel thickness: 38–42mm;
other thickness can be custom made.




1102六角毛巾架/Hexagon Towel Rod





1103圆杆毛巾架/Round Towel Rod






1105/1106六角毛巾架/Hexagon Towel Rod




型号	L	B	ØA	ØB
KB1105	600	12	38	25
KB1106	800	16	42	31




1109 单杆毛巾架/Single Towel Rod





1111/1121/1122热水杯架、冷水杯架/Bottle Holder Tumbler Holder







型号	ØA	B	C	D	H
KB1111	140	20	40	6	150
KB1121	124	20	34	6	100
KB1122	77	10	22	5	77


1151/1152肥皂架（盒）/Soap Holder(Box)







1154 肥皂架/Soap Holder






1156 肥皂架/Soap Holder






1161衣帽钩/Coat and Hat Hook






1163 衣帽钩/Coat and Hat Hook






1165 衣帽钩/Coat and Hat Hook





1169 衣帽钩/Coat and Hat Hook






1176B防浪钩/Chair Fastener





1176T防浪钩/Chair Fastener






1177防浪绳/Chair Fastener






KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


1182防浪扶手/Hand Grip





1241 定门器/Door Holder with Cushion






1242 定门器/Door Holder with Cushion




1246 可调式定门器/Adjustable Door Holder with Cushion






1247 插入式定门器 /Flush Door Holder with Cushion






1247D 插入式定门器 /Flush Door Holder with Cushion





1251–1259 门钩/Door Hook









型号	名称	L	D
KB1251	门钩	75	ϕ7
KB1254	门钩	100	ϕ7
KB1256	门钩	125	ϕ7
KB1257	门钩	150	ϕ7
KB1259	门钩	200	ϕ7


1361 门碰垫/Door Bumper






1362 门碰座/Door Bumper





1363 门碰座/Door Bumper






KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


1403 窗帘别档钩/Curtain Hook






4223 不锈钢橱门锁/Satinless Steel Kitchen Lock







4224 不锈钢橱门锁(带锁）/Satinless Steel Kitchen Lock (with Lock)







4225 掀锁/Push Lock







4226 掀锁(带锁）/Push Lock (with Lock)







4227 塑料掀锁/Plastic Push Lock






4227 不锈钢掀锁/Stainless Steel Lift Lock







4251 移门制止器/Door Fastenter





5394–5396 流线型拉手/Seamline Cabinet Pull






型号	L1	L2	H
KB5396	75	100	24
KB5395	100	120	29
KB5394	125	145	32

5461 领带梗/Necktie Rod







KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


6201 风暴扶手托架/Storm Rail Bracket







6202 风暴扶手托架/Storm Rail Bracket






6201A 风暴扶手托架/Storm Rail Bracket







6202A 风暴扶手托架/Storm Rail Bracket






6203 风暴扶手托架/Storm Rail Bracket






6204 风暴扶手托架/Storm Rail Bracket






6203A 风暴扶手托架/Storm Rail Bracket







6204A 风暴扶手托架/Storm Rail Bracket







6211 楼梯扶手托架/Hand Rail Bracket






5471 领带钩/Nicktie Hook






KANGBO 上海康博五金制品有限公司
SHANGHAI KANGBO HARDWARE PRODUCTS CO., LTD.


82001 限位器/DistanceLimiter



82006 限位器/DistanceLimiter




82007 限位器/DistanceLimiter




三角检修门锁/Triangle maintenance door lock







拉环检修门锁/Pull ring maintenance door lock






带杆拉环检修门锁/Handle and Pull Ring Maintenance Door Lock






带杆三角检修门锁/Rod-type triangular maintenance door lock






逃口锁/Escape Lock







自动插销/Automatic plug-in






隔断转舌锁/Partition tongue lock







6404肉钩/Meat Hook






7141 旗铰/Flag Hinge





9701 船用挂锁/9701 Marine padlock





规格	40mm	50mm	60mm
A	40	50	60
B	32	37	45
C	12	14	18
D	41	41	54
E	30	40	43
F	26	35	42
G	6	8	9.5

锌合金揿锁/Zinc alloy snap lock

